

INSTALLATION MANUAL

valor[®] Horizon



Edgemont Fronts 673EDN / 673EDV / 673EDZ

Approved for use with Valor heater models 534 ONLY

DANGER



HOT GLASS WILL CAUSE BURNS.

DO NOT TOUCH GLASS UNTIL COOLED.

NEVER ALLOW CHILDREN TO TOUCH GLASS.



A barrier designed to reduce the risk of burns from the hot viewing glass is provided with this appliance and must be installed for the protection of children and other at-risk individuals.

INSTALLER: Leave this manual with the appliance.

CONSUMER: Retain this manual for future reference.


Note: This kit must be installed or serviced by a qualified installer, service agency or gas supplier. These instructions are to be used in conjunction with the main installation instructions for the above listed heater model.

The 673ED Edgemont Front is designed to be used on the 534 Valor Horizon heater. Mantel clearances are unchanged from those shown in the 534 installation manual.




Installation


1. Remove the existing top convection baffle supplied with the heater and replace it with the bridging baffle supplied with this kit using the same screws.



3. Place the heat exchanger cover over the heat exchanger. Note its shape and orientation.





4. Place the access panel horizontally under the screen and insert the pins on each side of the frame through the slots in the panel. Rotate the panel downward.





Front assembly
—rear view

2. Place the backing plate over the engine and secure it to the engine frame with two screws on each side.



5. Hook the Front Assembly to the four tabs inside the backing plate.



Maintenance

WARNING

DO NOT TOUCH THE BARRIER SCREEN OR FIREPLACE WHILE THEY ARE HOT! Let the fireplace cool first before maintenance.

FOR YOUR SAFETY, ensure the barrier screen is re-installed on the fireplace if it has been removed.


To clean the metal of the front trim, use mild soap and water. You can dust the screen with a soft brush. To dust the inside of the screen, unhook the front.

If the barrier becomes damaged, the barrier shall be replaced with the manufacturer's barrier for this appliance.

To clean the window and ceramics inside the firebox, consult the *Owner's Information* section of the *Installation and Owner's Manual* supplied with the fireplace.

Repair Parts List

	Description	Part Numbers		
		673EDN Polished Nickel	673EDV Vintage Iron	673EDZ Bronze
1	Backing plate	4005064AZ	4005064AZ	4005064AZ
2	Bridging baffle	4005246BY	4005246BY	4005246BY
3	Heat exchanger cover	4002221BY	4002221BY	4002221BY
4	Front frame assembly	4005065P	4005065V	4005065Z
5	Barrier screen	4005067	4005067	4005067
6	Access panel	4005072AZ	4005072AZ	4005072AZ



Because our policy is one of constant development and improvement, details may vary slightly from those given in this publication.

Designed and Manufactured by / for Miles Industries Ltd.

190 - 2255 Dollarton Highway, North Vancouver, B.C., CANADA V7H 3B1

Tel. 604-984-3496 Fax 604-984-0246

www.valorfireplaces.com

valor[®] Horizon



Devantures Edgemont 673EDN / 673EDV / 673EDZ
Certifiée pour usage avec foyers Valor 534 seulement

DANGER

INSTALLATEUR : Laissez cette notice avec l'appareil.
CONSOMMATEUR : Conservez cette notice pour consultation ultérieure.

Note : Ce kit doit être installé ou réparé par un installateur qualifié, une agence de service certifiée ou un fournisseur de gaz. Ces instructions doivent être utilisées conjointement avec les instructions d'installation du modèle de foyer Valor indiqué ci-dessus.



VITRE CHAUDE - RISQUE DE BRÛLURES.



NE TOUCHEZ PAS UNE VITRE NON REFROIDIE.

NE LAISSEZ JAMAIS UN ENFANT TOUCHER LA VITRE.

L'écran pare-étincelles fourni avec ce foyer réduit le risque de brûlure en cas de contact accidentel avec la vitre chaude et doit être installé pour la protection des enfants et des personnes à risques.



La Devanture Edgemont 673ED est conçue pour être utilisée sur le foyer Valor Horizon 534.

Les dégagements pour manteaux de cheminée demeurent les mêmes que ceux indiqués dans le guide d'installation fourni avec le foyer 534.




Installation


1. Enlevez le déflecteur de convection existant fourni avec le foyer et remplacez-le par le déflecteur fourni avec la devanture en utilisant les mêmes vis pour le fixer.





2. Placez la plaque de finition sur l'encadrement noir du foyer et fixez-le aux quatre languettes avec deux vis par côté.




3. Couvrez l'échangeur de chaleur avec le couvercle d'échangeur de chaleur. Notez sa forme et son orientation.



4. Placez le panneau d'accès à l'horizontal sous le pare-étincelles et insérez les chevilles de chaque côté du cadre de la devanture dans les encoches du panneau. Pivotez le panneau vers le bas.



5. Accrochez la devanture aux quatre languettes à la plaque de finition.



Entretien



AVERTISSEMENT

**NE TOUCHEZ PAS LE PARE-ÉTINCELLES OU LE FOYER LORSQU'ILS SONT CHAUDS!
Laissez les refroidir avant de les nettoyer.**

POUR DES RAISONS DE SÉCURITÉ, assurez-vous que le pare-étincelles soit réinstallé sur la devanture avant d'utiliser le foyer.


Pour nettoyer la devanture, utilisez une solution d'eau et de savon doux. Époussettez le pare-étincelles à l'aide d'une brosse à poils doux.

Si le pare-étincelles est endommagé, il doit être remplacé par le pare-étincelles conçu par le fabricant pour cet appareil.

Pour nettoyer la fenêtre et l'intérieur de la boîte de foyer, consultez la section *Information à l'intention du consommateur* dans le *Guide de l'installation et du consommateur* fourni avec le foyer.

Liste de pièces

	Description	N° de pièces		
		673EDN Nickel poli	673EDV Fer antique	673EDZ Bronze
1	Plaque de finition	4005064AZ	4005064AZ	4005064AZ
2	Défecteur	4005246BY	4005246BY	4005246BY
3	Couvercle d'échangeur de chaleur	4002221BY	4002221BY	4002221BY
4	Devanture assemblée	4005065P	4005065V	4005065Z
5	Pare-étincelles	4005067	4005067	4005067
6	Panneau d'accès	4005072AZ	4005072AZ	4005072AZ



Parce que nous favorisons une politique de développement continu, certains détails de la présente publication peuvent varier.

Conçue et fabriquée par / pour Miles Industries Ltd.

190 - 2255 Dollarton Highway, North Vancouver, BC, CANADA V7H 3B1

Tél. 604-984-3496 Téléc. 604-984-0246

www.foyervalor.com